





**SECURE & ECO-FRIENDLY** 

# FENCE/ FENCING PRODUCTS

- FENCE
- ADVERTISING
- PREFAB HOUSE
- BLOCKS
- STEEL IND.

DUBAI SHARJAH ABU DHABI UAQ RIYADH
NEOM
HONGKONG
LONDON
MANCHESTER

















# TABLE OF CONTENTS

INTRODUCTION	04
OUR MISSION	05
FENCING	07
PANELS	12
METAL BARRIERS	23
CAR PARK SHADE	24
FENCE ACCESSORIES	25
STEEL GATES	27
RCC / PCC BLOCKS	29
ADVERTISING	30
PORTACARINI	32





SHARJAH ABU DHABI UAQ RIYADH NEOM MANCHESTER LONDON HONGKONG Alton Sustainable Fencing Solutions

# CEO'S STATEMENT



"We strive hard to meet the expectations of our valued customers, we guarantee to give the quality products in the best competetive prices and we truly value your highest satisfaction."

MOHAMMED ANIS





FENCE · ADVERTISING · PREFAB HOUSE · RCC BLOCKS · STEEL IND.





Certificate of Registration

Alton Fencing & Steel Trading LLC evidence #1 Opposite Ministry of Labour, Af Quine Indicarral Highest Scarce F D. Sain, \$4557, Dallin, United Sain Communi-ISO 9001 2015

#### **QUALITY**

It is always the result of high intention, sincere effort, intelligent direction and skillful execution; it represents the wise choice of many alternatives.




#### **ICV CERTIFICATION**

We are an ICV certified Supplier / Contractor. Our customers can ensure validity and accuracy of the information provided by their supplier in terms of ICV Contribution.









# WE OFFER THE BEST TO OUR CUSTOMERS IN TERMS OF QUALITY AND EXCELLENCE.

# WE DEAL WITH THE BEST QUALITY SUPPLIERS FROM ALL AROUND THE WORLD.

Our niche is going the extra mile, solving the fencing problems that others ignore. We have done that for some of the most prestigious and high-profile projects in recent years.

Over the past years, the business has been well developed and flourished in the GCC market and has made a great success in meeting customer satisfaction.

Our services have recently expanded into new markets, specifically the United Kingdom through London and Manchester and the Kingdom of Saudi Arabia through Neom and Riyadh.

Our Contracting division, **Alton Fencing & Steel Trading LLC** is a company Head Office based in Dubai, specialized in Fencing projects.

The name stands for the **best contractor for Metal fencing**, Barbed Wire Contracting & Trading, Steel Structure Signs, Construction fencing & Billboards, Chain link fencing, Heras fencing, Metal/ Police barriers, PVC Eco Fencing or Hoardings, Parking or Sun Shades with Branding, RTA / Welded mesh fencing, Anti-climb fencing, Flag poles, Steel gates and many more.

We offer a complete turn-key solution for any fencing projects; ranging from initial site survey to supply and installation including concrete foundation.

Both our standard and bespoke systems are in high quality and are widely used by corporate, residential and local authority sectors in different parts of the world.







Panel fence with corrugated sheets is widely used for construction projects as temporary site hoarding. We fabricate and supply color powder coated gi corrugated sheet fences, pole support structure with standard / customized concrete base and all required and fitting accessories at desired project site.

#### GI FENCE PANEL TYPE FOR PROJECT

Fabrication & supply of GI Fencing	
Fence will be .30 mm corrugated profile sheet-	35/200
Pipe will be 42 mm OD G.I	1.0 mm (T)
U Channel	40x40x40mm- 1.0 mm (T)
Fence color off white	(Ral 9002)
(1) Clamp	G.I Standard
Support Pipe (L)	170cm
Fence (H) 2mtr.x2.18(W)-	clamp to clamp




#### **ELEVATION**







\* change in size / color available on client request



**SECTION** 

Our steel fence is also available in many colors and thickness, as per project requirement.





# CONTINUOUS

Continuous Steel fence made with Corrugated Sheets is widely used for Construction projects as site hoarding with or without branding. We fabricate and supply color powder coated GI corrugated sheet fences, pole support structure with standard / customized concrete base and all required and fitting accessories at desired project site.

Our Steel hoarding is also available in many colors and thickness, as per project requirement.


#### **CONTINUOUS STEEL FENCE FOR PROJECT**


Fabrication & supply of CONTINUOUS STEEL FENCE			
Fence	.40mm corrugated profile sheet.		
Pipe	42 mm OD G.I- 2 mm (T) front and back		
U Channel	40x40x40mm- 1.2mm (T)		
Fence color Off white	or Off white (Ral 9002)		
Clamp & Coupler	G.I Standard		
back Support Pipe (L)	2 mtr & 1.20 mtr		
Fence 2.00 meter Height & from ground 2.10 mtr			






\* change in size / color available on client request





**TYP. SECTION** 



**PLAN** 






Welded mesh is an electric fusion welded prefabricated joined grid consisting of a series of parallel longitudinal wires with accurate spacing welded to cross wires at the required spacing.

#### STANDARD WELDED MESH FENCE FOR PROJECT


Fabrication & s	Fabrication & supply of Welded Mesh Fence			
Size	2200mm(W) X 2000mm(H)			
Hole size	50 X 200mm			
Wire Dia.	4mm ( After coated)			
Post	50 X 50 X 2mm(T) X 2500mm(H), with underground 500mm			
Surface	Galvanized + Green powder coated			





\* change in size / color available on client request


We are among top names in the industry for supplying welded wire mesh, which is widely used in commercial and residential projects.



**SECTION** 

**ELEVATION** 

**DETAILS** 



It is widely used as garden and play grounds and segmentation of large areas. Our product range is wide and comprehensive for meeting with diverse requirements of the clients and we can do supply and installation of all types of welded mesh fence with rcc blocks.






DECO / RTA fence is a complete decorative welded fencing developed for design-oriented and rigid fencing solutions especially for long roads. It comes with a strong double wire horizontal wire system, tubular vertical posts with round cap and a beautiful ornamental curve design on top. It is all



Fabrication & supply of Deco Fencing			
Fence will be panel size	2120mm (w) x 1280mm/1.920mm (h)		
Wire Dia	Horizontal 8mm, Vertical 6mm		
Hole Size	65 x 200mm		
Post	1280mm, 60 x 1.5mm (T)		
Surface	Galvanized + Grey Powder Coating( RAL 7035)		
Post	(3 clips, 1 welded floor plate 8mm thick, 1 water proof cap.		
All marks with a second (NAOLD)			





#### WE ARE ONE OF THE LARGEST SUPPLIERS FOR RTA DECO FENCE IN MIDDLE EAST.




#### **ELEVATION**

**SECTION** 









#### **SOLAR CAP**

The first company in the world which designed solar cap for a fence post. Easy fixation because of no wiring. Made out of polycarbon to show anti-vandal features. Maximum illumination with minimum energy consumption. IP65 protection class certificated








\* change in size / color available on client request

#### **SUITABLE PANELS**







**Decorative Panels** 

Security Panels

Razor Panels

Panel heights	630 mm	830 mm	1030 mm	1230 mm	1430 mm	1530 mm	1730 mm	1930 mm	2030 mm	2230 mm	2430 mm
Post length at concrete surface	670 mm	870 mm	1070 mm	1270 mm	1470 mm	1570 mm	1770 mm	1970 mm	2070 mm	2270 mm	2470 mm
Post length at soil surface	1070 mm	1270 mm	1470 mm	1670 mm	1970 mm	2070 mm	2270 mm	2470 mm	2570 mm	2770 mm	2970 mm

#### **ACCESSORIES**

#### **Cast Aluminium Base Plate**

Custom-designed heavy duty base plate made out of aluminium





PI	astic	c Ca	р

Custom designed, easy fixed, aesthetic plastic cap




Coating	High adherence Polyester coated (min.80µm) or Thermoplstic coated (min. 150m) on top of Aluminum surface
Post Section	100 x 120 mm
Fixation	Slots at 100 mm intervals
Material Type	6000 series aluminium
I/V	15,75 cm3









#### **DECORATIVE PANEL**



#### RAZOR PANEL





## CHAIN LINK

A chain link fence (wire netting, wire mesh fence or diamond mesh fence) is a type of woven fence usually made from galvanized or PVC coated steel wire. it is the most popular fence in Middle east for a boundary fence to secure and protect any premise especially in farms and deserts.



chain Eink renee with aduble crank

#### Chain Link Fence For Project: - (2 mtr height)

CHAINLINK FENCING 2.2/3.2mm fence color RAL 6005

Fence height 2.0mtr, MESH SIZE 50X50x3.2mm

LINE WIRE - 3.55/4.75mm Dia - 1 row every 500mm

STIRRUP WIRE - 2.50/3.55 mm DIA.

TIE WIRE- 1.40/2.00 mm DIA

INTERMEDIATE POST 60 mm OD (2mm THK) MS PIPE @ EVERY 3 MT C/C

STRAINING POST 76 mm OD (2mm THK) MS PIPE WITH 2 NOS. OF HORIZONTAL SUPPORT MADE OF 48 mm OD MS PIPE @ EVERY 30 MT C/C

CORNER POST 76 mm OD (2mm THK) MS PIPE @ EVERY CORNER

END POST 76mm OD (2mm THK) MS PIPE

Other standard accessories

All posts will be MS with NC paint Finish in RAL 6005 Green

Total Height from Ground: 2 Meter




Chain Link Fence with ShadeNet & Crank




Chain Link Fence for Sports Court


\* change in size / color
available on client request

In a similar way, roads are mostly secured on both sides with a strained wire fence, called camel fence because especially in middle east, in the desert area, camels can stray in to the road and as vehicles are moving in high speed can hit them and make major accidents.



#### **ELEVATION**





CORNER POST
OR END POST
BRACE BAND SET
SHORT WINDER SET
LINE WIRE (B)
TENSION BAND SET


CHAIN LINK STRETCHER BAR

**DETAILS** 

# WE ARE POPULAR SUPPLIER FOR CHAIN LINK & CAMEL FENCE.

A number of high valued projects have been done in a proficient way in use with said fence.





#### Features Description

High-pressure hoses

Powerful jets of water for thorough cleaning

Cleaning agents

Specialized solutions to break down tough grime Brushes

Used to scrub away dirt and debris from surfaces Chrome polish

Restores shine to chrome trim and accents

Tire scrubbers removes dirt and grime from tires

Window cleaner Ensures streak-free windows for optimal visibility



Each feature plays a crucial role in ensuring that the trucks leave the wash bay looking their best



Enhanced Appearance: Regularly washing trucks maintains their aesthetic appeal by removing dirt, grime, and road debris, resulting in a clean and professional appearance.

The truck wash is a specialized facility designed to clean and maintain commercial trucks and other large vehicles. Equipped with high-pressure hoses, cleaning agents, brushes, and other tools, the truck wash provides a thorough cleaning service to remove dirt, grime, and debris from the exterior of trucks.



#### SmartWash® Sprite

Efficiency: Removing dirt and grime from the truck's exterior can also improve aerodynamics, leading to better fuel efficiency and potentially saving on operational costs.

- High pressure "touchless" design to accommodate all types of vehicles
- Keypad control system and a data logger system with **PC** programming
- Manually operated de-mud/de-icing water cannons
- Three arch fixed wash system
- Automatic undercarriage wash
- Filtration and recycling system
- Should be programmable to adjust the amount of discharge to maintain water quality
- Blow drying is a nice feature but is not required



Temporary Edge Protection systems are the first line of defence when working at height steel mesh barriers to protect the open edges on concrete, steel and timber structures. V connection detail, Meshguard delivers speedy assembly with economy and safety in mind

The flexibility and user friendly features of Meshguard are fundamental to safe working at height. Components are robust and are painted or Galvanised finished for a long life and exposure to extreme weather climates. The use of Systemised Temporary Edge Protection makes a significant contribution to the reduction of falls on site due to ease of use, increased safety and compliance to EN 13374...








Description	Meshguard 2285
Article No.	MG2285
Weight	15.75 kg
Length	2285 mm
Height	1150 mm
Finish	Galv. wire + Powder coat
EN Standard	EN 13374 Class A B

Description	Meshguard 2585
Article No.	MG2585
Weight	17.75 kg
Length	2585 mm
Height	1150 mm
Finish	Galv. wire + Powder coat
EN Standard	EN 13374 Class A B

Description	Meshguard Extender			
Article No.	MGEX2585 MGEX2285			
Weight	9.60 kg	7.50 kg		
Length	2585 mm 2285 mm			
Height	600 mm 600 mm			
Finish	Galv. wire + Powder coat			
EN Standard	EN 13374 Class A B			







# ECURITY

Barbed wire is a kind of modern security fencing materials fabricated with high-tensile wire. Twisted barbed wire can be installed to achieve the result of frightening and stopping to the aggressive perimeter intruders, with piecing and cutting razor concertina coils mounted at the top of the wall, also the special designs makes climbing and touching extremely difficult.

#### **SECURITY FENCE**

Fabrication and supply of barbed wire concertina at the top of boundary

BARBED WIRE 1.80/2.60 mm DIA., 2 PLY, 4 POINTS, BARBS AT EVERY 100mm C/C - 6 ROWS

RAZOR CONCERTINA.(0.5 mm thk)


60x60x4 mm L ANGLE For support

Base plate (100x100x6 mm) to connect with boundary wall

Std fixing accessories

(  $460 \, \text{mtr} \times 1 \, \text{m}$  ht) & ( $10 \, \text{mtr} \times 2 \, \text{m}$  ht)

Total Height from Ground: 2 Meter






\* change in size / color available on client request


The wire and strip are galvanized to prevent corrosion.

IT IS AS A SECURITY BARRIER FOR NATIONAL DEFENSE, **CONTROL RIOTS AND PROTESTS, THE COASTLINE** OF DEFENSE FORCES OR IMPORTANT ENTRY AND EXITS.

#### **ELEVATION**



**SECTION** 



**DETAILS** 






# **PVC-ECO**

PVC ECO Hoarding is eco-friendly hoarding system from Alton brand. the hoarding panels are manufactured in Pvc and are fully recyclable after use, ensuring a sustainable

#### **PVC ECO PANEL HOARDING** FOR PROJECT - 2.4 M HT










\* change in size / color available on client request


#### **ELEVATION**



**SECTION** 

The hoarding system has a smooth flat finish which is ready to accept vinyl graphics and is widely used for corporate branding projects. It has longer life compared other similar fences, so it becomes highly popular with its quality, durability, appearance and environmental benefits.

**WE OFFER COMPLETE** SERVICES, 0 TO 100% OF **FABRICATION, SUPPLY INSTALLATION SERVICES** FOR THIS FENCE.



**DETAILS** 





100X50X3MM

PLY JOINT


BASE PLATE

200x200x12MM

EMB DEPTH 300 MM

1200X1000X500MM

X3 NO'S







Most of fence products can be supplied in your specific custom designs or graphics, defining your brand at your facility or location - utilizing existing fence or with new installation.


BLACK PLY WOOD

COVER

**ELEVATION** 

8


Fence.



Fabrication and	Fabrication and supply of Anti Climb Fence Mesh Include Foundation.				
Mesh size	76.2 × 12.7mm × 4.0mm Dia after powder coating Mesh.				
Fence panel size	2150mm (w) × 2500mm (h) panel height.				
Post	2500, 60 x 2.5mm (T)				
Surface	Galvanized+ powder coating (RAL 6005 Green or RAL 9005 Black).				
Foundation	Foundation 60x40x40cm				
5 clips (Thickness 2.6mm)					
Bolts 8mm					
1 welded floor plate thickness 8.0mm					




The distinguishing feature of anti-climb is the anti-climb and anti-cut welded wire mesh. This makes it very difficult to get a foothold on this fence and the cutting implements required to sever its welded heavy steel wire cannot fit into the minimal spaces of the mesh.



ELEVATION SECTION







	•			
Fabrication & s	Fabrication & supply of Heras Fence			
Surface	Hot Dip Galvanized + Silver Color RAL 9006			
Mesh opening	100 X 50mm			
Wire Dia	Horizontal :4mm, Vertical: 3mm			
Clamp Stan- dard	3mm			
Frame Pipe	Horizontal: 32X1.0mm(T) Vertical: 38X1.2mm(T)			
Back support	2m x 40 OD x 1.2mm			
Size	3500mm(W) X 2000mm(H)			






\* change in size / color available on client request





It's a galvanized welded mesh fence made in standard sizes, mostly in square top designs. Heras offer a wide range of temporary fencing to suit all budgets and specifications and is most popular for crowd controlling in big events.

WE ARE ONE OF THE LARGEST **SUPPLIERS FOR HERAS IN THE REGION SINCE MANY YEARS.** 




#### **Camel Fence for Project:**


Fabrication and Supply of 11 Rows - Camel Fence as per below specification – includes concrete foundation.		
Height	2100mm, Span 7500mm, Rows - 11	
Intermediate post	50x50x4x2400mm - 7.5mtr cc	
Straining Post	50x100x4x2400mm x 300mtr cc, supported by Strut/Brace - 50x50x4mmx2700mm - 2 No's	
Corner post	50x100x4x2400mm	
End post	50x100x4x2400mm	
Angle	50x50x5mm	
Dropper Bar	20x20x2mm	
High tensile wire	3.15mm 170g/m2	
Concrete Foundation	300x300x900mm - every 7.5mm CC for Line post	
Height above the ground	2.1 meter	
All Posts Hot dip galvanized and Covered by Caps		




\* change in size / color available on client request




**TYP. SECTION** 



#### **ELEVATION**







Fence Height	1,800mm	2,000mm	2,100mm	2,400mm	3,000mm
Pale Height	1,750mm	1,950mm	2,050mm	2,400mm	2,950mm
Bay Width	2,750mm (post	centre to post c	entre)		
Material	Galvanised Steel				
Finish	Optional added PPC in Green and Black as standard, other colours available on request.				
Pale Types	Triple Pointed, Round & Notched, Single Point				
Post Types	Dig In, Bolt Down				
Compliant To	BS EN ISO 1461.2009				

#### **PALISADE PALES**



Fence Height	1,800mm	2,000mm	2,100mm	2,400mm	3,000mm
Pale Height	2.0kg	2.23kg	2.35kg	2.69kg	3.37kg
Material	Galvanised Stee	Galvanised Steel			
Finish	Galvanised, optional added PPC in Green and Black as standard, other colours available on request.				
Pale Types	Triple Pointed, Round & Notched, Single Point				

#### **PALISADE FENCING POSTS**

Height	1,800mm	2,000mm	2,100mm	2,400mm	3,000mm
RSJ Dimensions	127mm x 45m	127mm x 45mm			
Material	Galvanised Ste	Galvanised Steel			
Finish	Optional added PPC in Green and Black as standard, other colours available on request.				
Post Types	Dig In, Bolt Down				





#### Welded Gabion Box: (1.2Mtr long)

	Fabrication and supply of Welded Gabion Box as per the specification in drawing provided $$	
Welded Gabion Boxes Size	1220mm x 590mm x 570mm (L x W x H) mesh	
Wire Dia	50*50mm x 5mm	
Surface	Hot Dip Galvanized Finish	
Clamps included	amps included	



\* change in size / color available on client request





**ELEVATION TYP. SECTION** 

Alton Fencing & Steel Trading LLC s

# ALUMINIU

Aluminum fences are versatile, durable and cost-effective comparative to its wider benefits. They are a preferable choice for modular wall fencing as they can be built into different height specifications and topped with spikes to ensure proper security while still meeting the local code. Aluminum is not open to corrosion and it won't fade from sunlight, hence the fencing can withstand it all and offer you proper protection and privacy irrespective of the weather conditions.

We can offer you numerous fence style options to fit your requirement. Custom fencing to match with your surroundings and budget.


#### Cast Aluminum Fence - 2.5m H

Fabrication of aluminum fence as per below mentioned specification		
Panel Size	2440mm (w) x 2500mm (h)	
Main Post	100x100x3mm thick x 2500mm high Aluminum Tube in every 2.44 mtr cc	
Vertical Tubes	50x20x2mm thick x 2500mm high Aluminum Tube x 16 nos. each panel	
Horizontal Tube	100x50x2mm Aluminum tube x 2 rows Standard Accessories	
Surface	Aluminum and Powder Coated Finish	
Including Base plate and bolts for fixing		
Excluding Concrete Foundation		






\* change in size / color available on client request




#### **ELEVATION**




**TYP. SECTION** 




Fabrication & supply of Metal Barriers as per below details		
Size	2500mm(W) X 1200mm(H)	
Frame	32X1.5mm(T)	
Inner tube	16X1mm(T)	
Tube pitch	150mm	
Surface	Hot dipped galvanized	
Barrier	Silver color Finish	





\* change in size / color available on client request



**ELEVATION** 



#### **ROAD BARRIERS**

PVC Road Barrier		
Size	2000 mm (W) x 1000 mm (h)	
included delivery to client store, Abu Dhabi		




**PLASTIC BARRIERS** 

Plastic E	Barrier
Size	2290 mm (1) x 175 mm (top) x 820 cm (h) x 40 mm bottom width



NOISE **BARRIERS** 

Noise Barrier	
Size	H: 500mm / W: 2460mm / D: 80mm



A car parking shade is a covered structure used to offer limited protection to vehicles, primarily cars, from the elements. The structure can either be free standing or attached to a wall. Unlike most structures car park shade does not have four walls. Car Parking Shade offer less protection than garages but allow for more ventilation. We have our own special fabrication team to make any kind of park


#### **Car Parking Shade**


Fabrication and supply of car parking shade with steel structure and foundation.		
Pvc fabric	Color Beige	
Size of shed	2.75 x 5.5mtr (for each car)	
Height	2.40mtr from ground level	
PVC fabric	steel section + epoxy coating + Foundation + Base plate + Column + Arc members + Pipe + anchor bolts + exca- vation + back filling + Horizontal members	
Fabric Warranty	05 years	
Include Delivery		







\* change in size / color available on client request









**DETAIL** 



\* change in size / color available on client request

## **GI/MS PIPES**

Galvanization (or galvanizing as it is most commonly called in that industry) is the process of applying a protective zinc coating to steel or iron, to prevent rusting. The most common method is hot-dip galvanizing, in which parts are submerged in a bath of molten zinc. We have ready stock of different sizes and dimensions of hot dipped galvanized pipes with bs standard.

#### **GI/MSPIPE**

42 OD X 1.0 MM 48 OD X 3.0 MM 42 OD X 1.5 MM 48 OD X 2.0 MM 42 OD X 2.0 MM 48 OD X 2.5 MM 48 OD X 3.0 MM 42 OD X 3.0 MM



#### **GI U-CHANNEL**

40 X 40 X 40 X 1.0 X 2140 MM 40 X 40 X 40 X 1.2 X 2140 MM 40 X 40 X 40 X 1.5 X 2140 MM 40 X 40 X 40 X 2.0 X 2140 MM 40 X 40 X 40 X 2.5 X 2140 MM 40 X 50 X 40 X 1.2 X 2440 MM 40 X 50 X 40 X 1.5 X 2440 MM 40 X 50 X 40 X 2.0 X 2440 MM 40 X 50 X 40 X 3.0 X 2440 MM

100 X 50 X 40 X 2.5 X 160 MM

## CLAMP/ COUPLERS







#### **STANDARD CLAMPS**

### **PVC CLIP**

#### **HAND CLAMP**

#### **DOUBLE COUPLER**









#### **RUBBER FEET**

#### **CONCRETE FEET**

#### **PLASTIC FEET**







#### **THERMOPLASTIC FEET**



#### DOMINATOR CONES OR SAFETY CONES

DOMINAI	OR CONE	S OR SA	TEIA C	ONES
	Height	500mm	750mm	1000mm
2	Base Dimensions	260 x 260mm	430 x 430mm	580 x 580mm
	Material	Plastic		
	Weight	2.6kg	5kg	7.5kg
	Cone Conformity	BS 873 Part 8: 1985		
	Production Conformity	BS EN ISO 9001:2000		
	Quality Testing Conformity	BS 873 Part 8: 1985		
	Cone Sleeve Conformity	BS 873 Part 6: 1983, EN13422:2002 Class R1B		
	Packs	200	150	100



We supply any kind of metal gates in standard or customized sizes, matching to your fence, project or site conditions. A variety of swing or sliding gates are available and our sliding gate hardware is designed specifically for vehicular traffic or pedestrian or garden gates.

A traditional sliding gate is a wheel-mounted gate that slides along a track. Generally, the gate is a single unit and it stows to one side of the driveway opening, along the fence line. Also, we can fabricate & supply electrically controlled automatic

#### STEEL GATE FOR PROJECT: - (6 M X 2 M)

Fabrication & supply of GI PANEL GATE includes PCC Blocks		
Size	6000 x 2000 mm (h) – Double Leaf gate.	
Concrete	600x600x600 mm x 2 no's	
Each leaf 3 m		
All fixing accessories including wheel		





\* change in size / color available on client request

#### **HOARDING VEHICLE GATE**



Panel Height	2.0m 2.4m	
Length	4.314m	
Weight	53.5kg	67kg
Material	Galvanised Steel	
Finish	Galvanised, or PPC in Black, Green	

#### **HOARDING PEDESTRIAN INTERNAL ACCESS GATE**



Panel Height	2,000mm 2,400mm	
Length	2,100mm	
Weight	36kg 38kg	
Material	Galvanised Steel	
Finish	Galvanised, Optional Green or black PPC	

#### **HOARDING PEDESTRIAN STAND ALONE GATE**



Panel Height	2,000mm 2,400mm	
Length	1,200mm	
Weight	19kg 22kg	
Material	Galvanised Steel	
Finish	Galvanised, or PPC in Black, Green	

#### **SWING CAR PARK GATES**



Height	1.0m
Style	Single, Double
Width	2.0m, 3.0m, 4.0m, 5.0m, 6.0m
Material	Galvanised Steel
Post Type	Dig in, Bolt Down
Finish	Galvanised, or PPC, Black, Green, Grey, Blue, Red, Yellow

#### **LIGHTWEIGHT MANUAL SLIDING GATE**



Heights	1.8m, 2.0m, 2.1m, 2.4m
Widths	2.5m to 10.0m
Material	Steel
Infills	Palisade, Mesh, Railings
Finish	Galvanised, or PPC Black, Green, Red, Yellow

#### **SLIDING RAIL GATE**



		3000	4000	5000	6000			
		3000		Post	0000	Gate Frame	Gate Infill	
Height	1000			Silvotario			Mesh size	
	1200	60×60×2	2 60x60x2 60x60x2				50x200 mm	
	1500			60×60×2	60×80×2.5			
	1700						Wire thickness	
	2000						6/5/6 mm	

Width

#### **WELDED MESH GATE**



Heights	1.8m, 2.0m, 2.1m, 2.4m
Widths	2.5m to 10.0m
Material	Steel
Infills	Palisade, Mesh, Railings
Finish	Galvanised, or PPC Black, Green, Red, Yellow

## WELDED MESH FENCE GATE FOR PROJECT(6 M X 2.4 M)

Fabrication & supply of WELDED MESH GATE includes PCC Blocks		
Size	6000 x 2400 mm (h) – Double Leaf gate.	
Concrete	crete 600x600x600 mm x 2 no's	
Each leaf 3 m		
All fixing accessories including wheel		

#### **PVC GATE**




		_
Heights	1.8m, 2.0m, 2.1m, 2.4m	
Widths	2.5m to 10.0m	
Material	Steel	
Infills	Palisade, Mesh, Railings	
Finish	Galvanised, or PPC Black, Green, Red, Yellow	

### PVC GATE FOR PROJECT: (6 M X 2.4 M)

	•	
Fabrication & supply of PVC GATE includes PCC Blocks.		
Size	6000 x 2400 mm (h) – Double Leaf gate.	
Concrete	600x600x600 mm x 2 no's	
Each leaf 3 m		
All fixing accessories including wheel		





Foundation size	1000x600x600 mm, -		
PCC Block	600x400x200mm (no hook)		
Foundation	60x40x40cm		
Foundation	300X300X600 MM		
Foundation	600X200X200 MM		
Include Delivery			





\* change in size / color available on client request



Alton Fencing & Steel Trading LLC

# **NSTRUCTION**


Project signage's are made to provide information on new construction sites, renovations, or announcing any particular project. these signs are mainly used in municipal, government and private construction projects.

We manufacture site signage's with shop drawing showing details of the Project, Main and sub contractors, consultants, selling Agents, design team etc. these can be designed in-house or produced using

We are experts in supply of any kind of signage (Front light/back light or any design) and can offer full scope from design to installation including concrete foundation.



\* change in size / color available on client request



Alton Fencing & Steel Trading LLC

## **TRAFFIC SIGN**

Traffic signs or road signages are signs erected at the side or top of the roads to give instructions or information to road users. Our quality traffic signs made with steel or gi powder coated poles & honeycomb vinyl reflective high quality 3m grade sticker & special aluminum clamp for fitting with standard rcc blocks foundations.

OUR PROFESSIONAL TEAM DO ALL KIND OF TRAFFIC SIGNAGE AS PER RTA & MUNICIPALITY APPROVED DIMENSIONS.









# VEHICLE Branding

Wrap advertising or a vehicle wrap describe the marketing practice of completely or partially covering (wrapping a vehicle in an advertisement or livery. The result of this process is essentially a mobile billboard. The vinyl sheets can later be removed with relative ease, drastically reducing the costs associated with changing advertisements. While vehicles with large, flat surfaces (such as buses and light - rail carriages) are often used, automobiles can also serve as hosts for wrap advertising, despite consisting of more curved surfaces. Wrap advertising is also used in the magazine and publishing industries.



OUR PROFESSIONAL TEAM IS EXPERT IN DOING VEHICLE BRANDING SINCE 1998.



Alton Sustainable Fencing Solutions

PORTACABIN stands among the in manufacturing of Prefabricated buildings, site offices, Plan offices, Mess units, labor accommodations. Ablution units, Ware houses, Manufacturing sheds, schools, villas, Mosques and customized steel structure buildings using latest manufacturing technology/ mechanism with skilled workforce to cater your prefab building requisitions.


We are specialized in manufacturing of Fire rated cabins approved by dubai/ Abu dhabi civil defense authority along with the containerized/ Flat Pack units to be used as per the requirement of the clients in construction, oil & gas, MeP, education, Health & Marine operations.








\* change in size / color available on client request



BACK VIEW



**FLOOR PLAN** 



Ablution units, Ware houses, Manufacturing sheds, schools, villas, Mosques and customized steel structure buildings using latest manufacturing technology / mechanism with skilled workforce to cater your prefab building requisitions.

#### **WE ARE SPECIALIZED IN MANUFACTURING OF FIRE RATED CABINS** APPROVED BY DUBAI/ ABU DHABI CIVIL **DEFENSE AUTHORITY**

along with the containerized/ Flat Pack units to be used as per the requirement of the clients in construction, oil & gas, MeP, education, Health & Marine operations.


















<sup>\*</sup> change in size / color available on client request

# ALTON



## **OUR PRESTIGIOUS CLIENTS**

acciona	AIROLINK	(Albert & Philosoft ).	A. manadory
DIA CACCABLA	مدوروع القطيور Al-futtain group	ALUCOR	Flimolgam
<b>B</b> beaver	B Alegand Landel ( 524  on Seas Control Control  on seasons on the	BESIX	COPE CITY DIAMOND
6 FOUNDATIONS	Eagle Shield General transferring	ECC	ECOGREEN
GBH CHICAGO	GHANTOON GROUP	times in the contract	COMPALÍA CONTRACTORS
WORLDS # ADVENTURE	<b>⊘</b> TIJ	International Co.	(C) LARSEN & TOUBRO
M4	masafi	acrea frame lag for 60 period will option	MARKET CONTINUE TRACT
NNBTC Building Your Trust	nysycyc nscc International	Charleson AST Correctly (AE	PALMA DEVELOPMENT
Petrofac	<b>₽</b> ILLI <b>X</b> Y	PIVOT	A KALIFA-MINING
SOBHA	III TECH GROUP	Signal	علونية الاتحاد UMON COOP
CONTRACTOR OF THE PARTY OF THE	AL FAHZAN 🔗 (Lamid) U	<b>DANUBE</b> PROPERTIES	BINGHATTI پىلىكىنا













#### **FENCING & STEEL TRADING LLC**

Neom Riyadh Dubai Sharjah Hong Kong

Manchester

London



#### **HEAD OFFICE (DUBAI)**

PTC Warehouse # 3, opposite of The Ministry of Labor (near Bin Shabib Mall), Al Qusais Industrial Area 1, Baghdad Street, P.O. Box: 86357, Dubai – UAE

www.altonfence.com www.altonfence.sa

## GROUP OF COMPANIES

Alton Fencing And Steel Trading LLC - Dubai

Alton Advertising LLC - Dubai

Alton Fencing And Fixing LLC - AUH

Alton Steel IND. LLC - SHJ

Alton Block IND. LLC - SHJ

Alton Prefabricated Metal Building IND. LLC - SHJ

Alton Fencing And Steel Wires Manufacturing LLC - UAQ

Alton Fencing And Steel Trading LLC - UK

Alton Fencing And Steel Trading LLC - KSA

Alton Fencing And Steel Trading (HK) CO., Limited - China



altonfence



alton\_group



altongroup\_companies



altongroup

DUBAI | SHARJAH | ABU DHABI | UAQ | NEOM | RIYADH | MANCHESTER | LONDON | HONG KONG